



**KDRS**

Kommunearkivinstusjonenes  
Digitale RessursSenter


**KDRS digitalt depot**  
**Del 4 – Arbeidsflyt ved deponering,**  
**forts.**  
**9. juni 2016**

# ESSArch Preservation Platform

I denne delen skal vi se på den videre arbeidsflyten rundt deponering, nemlig det som foregår i EPP – ESSArch Preservation Platform.



# ESSArch Preservation Platform



The image shows a web browser window displaying the login page of the ESSArch Preservation Platform. The browser's address bar shows the URL <https://essarch3.kdrs.no/accounts/login/?next=/>. The page features a dark blue header with the text "EPP (ESSArch Preservation Platform)" and a logo consisting of three concentric circles with a red dot in the center. Below the header, there are two input fields: "Username: \*" and "Password: \*". A "Log in" button is positioned below the password field. The browser's tab bar shows a single tab titled "Peter". The browser's address bar also shows "Andre bokmerker" (Andre bookmarks).



# EPP - Oppstartsside

**EPP (ESSArch Preservation Platform)** Welcome, Peter. [Change password / Log out](#)

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

## EPP (ESSArch Preservation Platform) 2.7.2 - Status

at 2016-05-30 15:46

### Processes:

SIPReceiver: 1
SIPValidateAIS: 1
SIPValidateApproval: 1
SIPValidateFormat: 1
AIPCreator: 1
AIPChecksum: 1
AIPValidate: 1
SIPRemove: 1
AIPWriter: 1
AIPPurge: 1
TLD: 1
db_sync_ais: 1
ESSlogging: 1
AccessEngine: 1
FTPServer: 1

### Storage media overview

Archive tapes online: None

Add new tapes starting with: None

Write tapes: None

Empty tapes: None

Error tapes: None

Ongoing requests

User	Request purpose	Status	Info
No uncompleted requests			

### Proc logfile alarms:

None
------



# EPP - passordbytte

Browser tabs: "k Et Tc Te Cl Kl D U D R Se Pf H Er In Pe ht ht ht ht x ht ht ht ht ht U ht U ht Er ht ht Ri W M N cc Fi Ci H

Browser address bar: [https://essarch3.kdrs.no/admin/password\\_change/](https://essarch3.kdrs.no/admin/password_change/)

Browser tabs: Apper, Bookmarks, Andre bokmerker

EPP (ESSArch Preservation Platform)  Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

Home › Password change

## Password change

Please enter your old password, for security's sake, and then enter your new password twice so we can verify you typed it in correctly.

Old password: \*

New password: \*

New password confirmation: \*

[Change my password](#)



# EPP – Checkin from Reception

Arch Preservation Platform) 2.7.2 - Status at 2016-05-30 15:50

**Storage media overview**

Archive tapes online: None

Add new tapes starting with: None

Write tapes: None

Empty tapes: None

Error tapes: None


Ongoing requests

User	Request purpose	Status	Info
No uncompleted requests			

Proc logfile alarms: None

https://essarch3.kdrs.no/#vertical

# EPP – Checkin, forts.




The screenshot shows a web browser window displaying the ESSArch Preservation Platform (EPP) control area. The browser address bar shows the URL <https://essarch3.kdrs.no/controlarea/checkinfromreceptionlist/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the heading "Select which information package to checkin from reception" and a table with the following data:

AIC/Media	Archivist organization	Label	Create date	Start date	End date	IP type	State	AIC (UUID)	IP (UUID)
<input checked="" type="radio"/> LC	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	2016-01-01	2016-12-30	AIC		Offa24f4-2665-11e6-99d4-0800276b6fde	



# EPP – Checkin, forts.



The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/controlarea/checkinfromreceptionlist/>. The page title is "EPP (ESSArch Preservation Platform)" and the user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP".

The main content area displays the instruction: "Select which information package to checkin from reception". Below this is a table with the following columns: AIC/Media, Archivist organization, Label, Create date, Start date, End date, IP type, State, AIC (UUID), and IP (UUID).

AIC/Media	Archivist organization	Label	Create date	Start date	End date	IP type	State	AIC (UUID)	IP (UUID)
-AIC	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	2016-01-01	2016-12-30	AIC		Offa24f4-2665-11e6-99d4-0800276b6fde	
<b>EFT</b>	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	2016-01-01	2016-12-30	SIP	Reception	Offa24f4-2665-11e6-99d4-0800276b6fde	419ece0c-2416-11e6-841e-080027ec5792



# EPP – Checkin, forts.

https://essarch3.kdrs.no/controlarea/checkinfromreception/419ece0c-2416-11e6-841e-080027ec5792/

EPP (ESSArch Preservation Platform) Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

## Create controlarea request

Please fill in the fields or use prefilled data (\* indicates mandatory field)

ReqUUID: *	b97dca2a-2675-11e6-aa69-00505697c6e4
ReqType: *	CheckIn from Reception
ReqPurpose: *	Kurs eksempel
User: *	pkv
ObjectIdentifierValue: *	419ece0c-2416-11e6-841e-080027ec5792
Archive Policy ID: *	faf7bb986b2b4271946e1a63fa4cedd3
Information Class: *	1
DELIVERYTYPE: *	N/A
DELIVERYSPECIFICATION: *	N/A
Allow unknown filetypes:	<input checked="" type="checkbox"/>

Submit →




# EPP – Checking in

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/>. The browser's address bar shows the user is logged in as 'Peter'. The page header includes the EPP logo and the text 'EPP (ESSArch Preservation Platform)' and 'Welcome, Peter. Change password / Log out'. A navigation menu contains the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the message 'Request to check in IP from reception' and 'Request is in progress' above a progress indicator consisting of a row of ten small squares, the first of which is filled.



# EPP – Checkin successful



The screenshot shows a web browser window displaying the EPP (ESSArch Preservation Platform) interface. The browser's address bar shows the URL: `https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/`. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the message "Request to check in IP from reception" and "Request is successful" (circled in green). Below this, the request details are shown: Category: controlarea, Label: Check In from Reception, User: pkv, and Request purpose: Kurs eksempel. The Status section provides a detailed log of the process, including file paths, package structures, and database entries.

Request to check in IP from reception

Request is successful

Category: controlarea  
Label: Check In from Reception  
User: pkv  
Request purpose: Kurs eksempel

Status

Found logfile: /ESSArch/data/gate/lobby/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/log.xml for package: /ESSArch/data/gate/reception/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content/419ece0c-2416-11e6-841e-080027ec5792.tar  
Copy package structure /ESSArch/data/gate/lobby/Offa24f4-2665-11e6-99d4-0800276b6fde to /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde  
Copy /ESSArch/data/gate/reception/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content/419ece0c-2416-11e6-841e-080027ec5792.tar to package content directory: /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content

Success to get METS agents,altRecords and label from info.xml  
Add altRecordID [ 'POLICYID', u'faf7bb986b2b4271946e1a63fa4cedd3' ] to metsfile  
Add altRecordID [ 'INFORMATIONCLASS', u'1' ] to metsfile  
Add altRecordID [ 'DELIVERYTYPE', u'N/A' ] to metsfile  
Add altRecordID [ 'DELIVERYSPECIFICATION', u'N/A' ] to metsfile  
Create new PREMIS: /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/administrative\_metadata/premis.xml  
Add new entry to DB for AIC\_UUID: Offa24f4-2665-11e6-99d4-0800276b6fde  
Add new entry to DB for IP\_UUID: 419ece0c-2416-11e6-841e-080027ec5792  
Add new entry to DB for eventIdentifierValue: Offa8b2e-2665-11e6-99d4-0800276b6fde  
Add new entry to DB for eventIdentifierValue: 81810d80-2666-11e6-99d4-0800276b6fde  
Add new entry to DB for eventIdentifierValue: 3bb395c4-2667-11e6-abbd-0800276b6fde  
Add new entry to DB for eventIdentifierValue: 419fdebe-2416-11e6-841e-080027ec5792



# EPP – Preserve IP

The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays the URL: <https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/>. The page header includes the EPP logo and the text "Welcome, Peter. Change password / Log out".

The main navigation menu is located at the top of the page, with the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The "CONTROL AREA" menu is expanded, showing the following options: CheckIn from Reception, CheckOut to Workarea, CheckIn from Workarea, CheckOut to Galearea from work, CheckIn from Galearea to work, CheckIn from Galearea, DiffCheck, **Preserve Information Package** (highlighted with a red circle), Delete IP in Controlarea, and Overview of controlarea requests.

The "Preserve Information Package" option is highlighted with a red circle. Below the navigation menu, the main content area displays a list of log entries for the selected package. The entries include:

- gate/lobby/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/log.xml for package: /ESSArch/data/gate/reception/Offa24f4-2665-11e6-99d4-11e6-841e-080027ec5792/content/419ece0c-2416-11e6-841e-080027ec5792.tar
- Arch/data/gate/lobby/Offa24f4-2665-11e6-99d4-0800276b6fde to /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde
- reption/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content/419ece0c-2416-11e6-841e-080027ec5792.tar to package content directory: fa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content
- Records and label from info.xml
- u'fa77bb986b2b427:946e1a63fa4cedd3'] to metsfile
- DNCLASS', u'1'] to metsfile
- Add altRecordID ['DELIVERYTYPE', u'N/A'] to metsfile
- Add altRecordID ['DELIVERYSPECIFICATION', u'N/A'] to metsfile
- Create new PREMIS: /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/administrative\_metadata/premis.xml
- Add new entry to DB for AIC\_UIID: Offa24f4-2665-11e6-99d4-0800276b6fde
- Add new entry to DB for IP\_UIID: 419ece0c-2416-11e6-841e-080027ec5792
- Add new entry to DB for eventIdentifierValue: Offa8b2e-2665-11e6-99d4-0800276b6fde
- Add new entry to DB for eventIdentifierValue: 81810d80-2666-11e6-99d4-0800276b6fde
- Add new entry to DB for eventIdentifierValue: 3bb395c4-2667-11e6-abbd-0800276b6fde
- Add new entry to DB for eventIdentifierValue: 419fdebe-2416-11e6-841e-080027ec5792

The footer of the page displays the URL: <https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/#vertical>.



# EPP – Preserve IP, forts.

EPP (ESSArch Preservation Platform)

Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

### Select which information package to preserve in archive


Show 10 ▾ entries Column visibility Search:

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
<input checked="" type="checkbox"/> Off 24f4-2665-11e6-99d4-0800776b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			

Showing 1 to 1 of 1 entries Previous 1 Next



# EPP – Preserve IP, forts.



The screenshot shows the EPP (ESSArch Preservation Platform) control area. The page title is "EPP (ESSArch Preservation Platform)" and the user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The main content area displays a table of information packages with the following columns: Identification, Archivist organization, Label, Create date, Start date, End date, Type, Generation, State, and Activity. The second entry is highlighted with a red circle.

Select which information package to preserve in archive

Show 10 entries Column visibility Search:

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
419ece0c-2416-11e6-841e-080027ec5792	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	SIP	IP_0	ControlArea	OK

Showing 1 to 1 of 1 entries Previous 1 Next



# EPP – Preserve IP, forts.

The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/controlarea/preserveip/6/>. The page title is "EPP (ESSArch Preservation Platform)". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main heading is "Create controlarea request". Below the heading, there is a note: "Please fill in the fields or use prefilled data (\* indicates mandatory field)". The form contains the following fields:

- ReqUUID: \* 939068bc-2676-11e6-8c73-00505697c6e4\*
- ReqType: \* Preserve Information Package \*
- ReqPurpose: \* **Kurs eksempel** \*
- User: \*
- ObjectIdentifierValue: \*419ece0c-2416-11e6-841e-080027ec5792\*

A "Submit →" button is located below the form. Below the form, there is a section titled "Events for IP" with a table of events:

Event UUID	Type	Date	Outcome	Note	Agent	Generation	Linking Object ID
419fdebe-2416-11e6-841e-080027ec5792	10000	May 27, 2016, 4:21 p.m.	OK	Success to create logfile	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
0ffa8b2e-2665-11e6-99d4-0800276b6fde	20000	May 30, 2016, 2:50 p.m.	OK	Success to create logfile	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
81810d80-2666-11e6-99d4-0800276b6fde	20100	May 30, 2016, 3 p.m.	OK	Mottatt OK.	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
3bb395c4-2667-11e6-abbd-0800276b6fde	20800	May 30, 2016, 3:05 p.m.	OK	Alt OK.	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
f3b4afa6-2675-11e6-962a-00505697c6e4	30000	May 30, 2016, 4:51 p.m.	OK	Success to CheckIn object: 419ece0c-2416-11e6-841e-080027ec5792 from reception, ReqUUID: b97dca2a-2675-11e6-aa69-00505697c6e4	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792

Below the table, there is a section titled "Related events for AIC" with a table header: Event UUID | Type | Date | Outcome | Note | Agent | Generation | Linking Object ID.



# EPP – Preserve IP, forts.

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/controlarea/preserveprogress/6a7a220f-5223-4b65-ae22-a0244f143317/>. The browser's address bar shows the user is logged in as 'Peter'. The page header includes the EPP logo and the text 'Welcome, Peter. Change password / Log out'. A navigation menu contains the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the following information:

Request to preserve IP  
**Request is successful**  
Category: controlarea  
Label: Preserve IP  
User: pkv  
Request purpose: Kurs eksempel

Status  
Copy IP: 0ffa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792 from controlarea: /ESSArch/data/epp/control to ingestpath: /ESSArch/data/epp/ingest




# EPP – Ingest IP

The screenshot shows a web browser window displaying the ESSArch Preservation Platform (EPP) interface. The browser's address bar shows the URL: `https://essarch3.kdrs.no/controlarea/preserveprogress/6a7a220f-5223-4b65-ae22-a0244f143317/`. The user is logged in as Peter, and the interface includes a navigation menu with options: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The INGEST menu is expanded, showing options: List information packages (circled in red), Create new ingest request, and List ingest request queue. Below the menu, the page displays details for a request, including Category (controlarea), Label (Preserve IP), User (pkv), and Request purpose (Kurs eksempel). The Status section shows a copy IP: `0ffa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792` from controlarea: `/ESSArch/data/epp/control` to ingestpath: `/ESSArch/data/epp/ingest`. The URL in the browser's address bar at the bottom is `https://essarch3.kdrs.no/ingest/listobj`.



# EPP – Ingest IP, forts.



The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/ingest/listobj>. The page title is "INGEST - List information packages".

Navigation menu: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, HELP.

Search:

Showing 1 to 1 of 1 entries

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
 Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
419ece0c-2416-11e6-841e-080027ec5792	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	AIP	IP_0	Write AIP to longterm storage	Progress

Navigation: Previous 1 Next



# EPP – Ingest IP ferdig.

The screenshot shows the ESSArch Preservation Platform (EPP) web interface. The browser address bar displays <https://essarch3.kdrs.no/ingest/listobj>. The page title is "INGEST - List information packages".

Navigation menu: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, HELP.

Search:

Showing 0 to 0 of 0 entries

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
No data available in table									

Buttons: Previous, Next



# EPP – oversikt lagringsmedier


The screenshot displays the ESSArch Preservation Platform (EPP) administration interface. The browser address bar shows the URL <https://essarch3.kdrs.no/ingest/listobj>. The page title is "INGEST - List information packages". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The "ADMINISTRATION" menu is expanded, showing options: "List robot information" (highlighted with a red circle), "Storage Migration", "Storage Maintenance", and "Storage Migration list".

Below the menu, there is a search bar and a "Column visibility" button. The table below has the following columns: Identification, Archivist organization, Label, Create date, Start date, End date, Type, Generation, State, and Activity. The table content is empty, with the message "No data available in table".

At the bottom of the page, there is a status bar showing "Showing 0 to 0 of 0 entries" and "Previous Next" navigation buttons. The footer URL is <https://essarch3.kdrs.no/administration/liststoragemedium/>.



# EPP – oversikt lagringsmedier



The screenshot shows the EPP (ESSArch Preservation Platform) administration interface. The browser address bar displays <https://essarch3.kdrs.no/administration/liststoragemedium/>. The page title is "ADMINISTRATION - List media information". The interface includes a navigation menu with options: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area shows a table of media information with columns: ID, Type, Status, Create Date, Last Update, Location, Location Status, Used Capacity, and Used. The table contains three entries. Below the table, it indicates "Showing 1 to 3 of 3 entries" and includes pagination controls for "Previous", "1", and "Next".

Display  records

Search:

ID	Type	Status	Create Date	Last Update	Location	Location Status	Used Capacity	Used
A32001	HP-LTO6	Write	2016-02-10T08:36:22Z	2016-05-30T14:59:48Z	Media_KDRS-MO-MEDIA-1	Robot	2357122	3
A31001	HP-LTO6	Write	2016-02-10T08:36:22Z	2016-05-30T14:59:48Z	Media_KDRS-OSLO-MEDIA-1	Robot	2357122	3
disk1_ESSArch3	DISK	Write	2016-02-10T08:36:07Z	2016-05-30T14:58:18Z	Media_ESSArch3	Robot	2357122	0

Showing 1 to 3 of 3 entries

← Previous 1 Next →



# EPP – detaljer lagringsmedium

The screenshot shows the EPP (ESSArch Preservation Platform) administration interface. The browser address bar displays the URL: <https://essarch3.kdrs.no/administration/detailstoragemedium/011d31ef-5c10-4544-a497-9a45bddb182a/>. The page title is "Detail information - storage medium".

The interface includes a navigation menu with the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The user is logged in as Peter, with a "Welcome, Peter. Change password / Log out" message.

The main content area displays the following details for the storage medium:

Name	Value
Medium UUID	011d31ef-5c10-4544-a497-9a45bddb182a
Type	HP-LTO6
ID	A32001
Create Date	Feb. 10, 2016, 9:36 a.m.
Last Update	May 30, 2016, 4:59 p.m.
Location	Media_KDRS-MO-MEDIA-1
Location Status	Robot
Block Size	512K
Used Capacity	2357122 bytes
Status	Write
Format	103 (AIC support)
Used (mounts)	3
linkingAgentIdentifierValue	ESSArch_ESSArch3
Create Date	Feb. 10, 2016, 9:36 a.m.
CreateAgentIdentifierValue	ESSArch_KDRS-MO-MEDIA-1

Below the details, there is a section for "Medium content" with a search bar and a table of records. The table shows 2 records:

IP Object	Content location
cb140d2c-cf2b-11e5-8c00-08002763c5f9	1
419ece0c-2416-11e6-841e-080027ec5792	2

The interface also shows "Showing 1 to 2 of 2 entries" and navigation buttons for "Previous" and "Next".

